

# ULI101

Week 05

# Week Overview

- Simple Filter Commands: head, tail, cut, sort, wc, grep, tr
- Redirection of Standard Input, Output, and Error
- Pipes and tee
- /dev/null File
- Here Documents

# head and tail Commands

- These commands display the beginning or the end of a file respectively
- By default, 10 lines are displayed
  - The entire file will be displayed if it is less than 10 lines in length
- Example usage:

```
head [-line_count] file
```

```
for example: head -3 cars
```

```
for example: tail -3 cars
```

# cut

- Selects which fields or columns to display from files or standard input
- Range can be specified in multiple ways:
  - 1-10                    – first 10
  - 3-8                      – 3<sup>rd</sup> to 8<sup>th</sup>
  - -10                      – up to 10<sup>th</sup>
  - 2-                        – from 2<sup>nd</sup> until the end of line
  - 1-3,4,10-               – combination of above
- Important options:
  - -c                    – cut **c** characters  
Example:                **cut -c1-2**    – will cut first 2 characters
  - -f                    – cut **f** fields  
Example:                **cut -f2,5**    – will cut 2<sup>nd</sup> and 5<sup>th</sup> field

# cut fields

- Default field delimiter is the `tab`
- Other field delimiter can be specified using the `-d` option  
For example:

`cut -d, -f1-2` – will cut first 2 fields delimited with a comma

- Field delimiter must be a single character, only one character delimiters are supported
- If special characters are used for delimiters they must be quoted

For example:

`cut -d" " -f1` – space is the field delimiter

# sort command

- Sorts files or standard input
- Is able to sort by fields
- Popular options:
  - **-f** – fold (ignore case in comparisons)
  - **-n** – numeric sort (default is ascii)
  - **-u** – display unique entries only
    - (do not display duplicate lines)
  - **-r** – reverse sort (default is lowest to highest value)

# WC

- Counts the number of lines, words and/or characters in files or standard input
- Usage:  
`wc option [filename]`
- Options:
  - `-l` – count lines
  - `-w` – count words (delimited by whitespace)
  - `-c` – count bytes
  - `-m` – count characters
  - If no option is specified, line, word, and byte counts are displayed
  - Note than one extended ascii character is one byte

# grep

- Searches for literal text and text patterns
  - Pattern-based searches will be covered in detail later in this course
- Example usage: `grep ford cars`
- Works with files or standard input
- Acts like a filter – outputs only lines which are successfully matched to a given regular expression
  - A successful match can be an entire line or any part of it, but the entire line will be displayed



# Useful grep options

- -i – ignores case
- -n – numbers lines in the output
- -v – reverse match
- -c – displays count of matched lines

# Standard Input and Standard Output

- **Standard input** (stdin) is a term which describes from where a command receives input
- **Standard output** (stdout) describes where a command sends its output
- For most commands the default standard input and output are your terminal's keyboard and screen
- Standard input can be **redirected** from a file or **piped** from another command
- Most commands also accept a filename argument, which is internally redirected to standard input
- Standard output can be **redirected** to a file or **piped** to another command

# Standard Input Redirection

```
command < filename
```

- Example:

```
tr 'a-z' 'A-Z' < cars
```

- Used for commands which do not accept a filename as an argument

# Standard Output Redirection

`command > filename`

- Redirects a command's standard output to a file
- Stdout redirection is represented by the `>` symbol

Example:

`ls > ls.txt` - will save output from the `ls` command into a file called `ls.txt`

- If the file exists already its content will be replaced
- To append (add) to a file, the `>>` symbol can be used

# Standard Error

- In addition to standard input and standard output UNIX commands have **standard error**, where error messages are sent
- By default error messages are sent to the terminal
- Standard error can be redirected by using the **2>** or **2>>** redirection operators
- To redirect standard error to the same place as standard output, use **2>&1** redirection
- To redirect stdout to the same place as stderr, use **>&2** redirection - this is how error messages are created in shell scripts

# Pipes

- Commands can send their standard output directly to standard input of other commands
- A few simple commands can be combined to form a more powerful command line
- No temporary files are necessary
- This is achieved by using **pipes** and **tees**

# Pipes

- Pipes are represented by |
- Many commands can be "piped" together, filter commands are especially useful
  - Each filter processes the initial input based on its design
  - Filters must be chained in a specific order, depending on what you wish to accomplish
- Example piping use:  
`ls -al | more`




# Tee

- UNIX pipe with the tee utility can be used to split the flow of information

Example:

```
ls | tee unsorted.txt | sort
```





# /dev/null File

- The /dev/null file (sometimes called the bit bucket or black hole) is a special system file that discards all data written into it
  - Useful to discard unwanted command output, for example:  
`find / -name "tempfile" 2> /dev/null`
- Also, /dev/null can provide null data (EOF only) to processes reading from it
  - Useful to purge (empty) files etc, for example: `cat /dev/null > ~/.bashrc`

# "Here" Documents

- The << symbol indicates a "here" document
- Example:

```
sort << EOF
```

```
word
```

```
name
```

```
car
```

```
EOF
```

- Anything between EOF...EOF is sent to the standard input of a utility
- You can use some other string instead of "EOF"
- This is especially useful for embedding a small file within a shell script